

RUPES®

BIGFOOT

PRODUCT NEWS 2020



LHR 21 MARKIII


LHR 21 MarkIII

Random orbital polisher

TECHNICAL DATA		
Ø backing pad	mm-in	150 - 6"
Ø orbit	mm-in	21 - 13/16"
Power	Watt	500
R.P.M.		3000 - 4500
Weight	kg-lbs	2,7 - 5,95
Speed control		•
Spindle thread		M8-F
Backing pad supplied		981.321N
Electrical Cord	m - ft	9 - 30'




LHR 21III/LUX



INCLUDED IN THE KIT

LHR 21 MARK III - Random orbital polisher (Ø150mm - Ø6" - 21mm orbit)
 cod. **9.DACOARSE** - D-A COARSE polishing compound 250ml
 cod. **9.DAFINE** - D-A FINE polishing compound 250ml
 cod. **9.PROTECT** - UNO PROTECT One-Step Polish & Sealant 250ml
 cod. **9.BW180H** - Wool polishing pad COARSE Ø150-170mm
 cod. **9.BW180M** - Wool polishing pad FINE Ø150-170mm
 cod. **9.DA180H** - D-A COARSE foam polishing pad Ø150-180mm - Ø6"-7"
 cod. **9.DA180M** - D-A FINE foam polishing pad Ø150-180mm - Ø6"-7"
 cod. **9.BF9010/4** - 4 x Microfiber cloths
 cod. **9.BF7001** - Claw pad
 cod. **9.Z1024** - Cable Clamp
 cod. **9.Z868** - BIGFOOT apron
 cod. **9.Z1043/BF** - BIGFOOT tools bag

LHR 21III/BAS



INCLUDED IN THE KIT

LHR 21 MARK III - Random orbital polisher (Ø150mm - Ø6" - 21mm orbit)
 cod. **9.DACOARSE** - D-A COARSE polishing compound 250ml
 cod. **9.DAFINE** - D-A FINE polishing compound 250ml
 cod. **9.BW180H** - Wool polishing pad COARSE Ø150-170mm
 cod. **9.DA180M** - D-A FINE foam polishing pad Ø150-180mm - Ø6"-7"
 cod. **9.BF9010/4** - 4 x Microfiber cloths
 cod. **9.Z1024** - Cable Clamp

LHR 15 MARKIII


LHR 15 MarkIII

Random orbital polisher

TECHNICAL DATA		
Ø backing pad	mm-in	125 - 5"
Ø orbit	mm-in	15 - 19/32"
Power	Watt	500
R.P.M.		3000 - 5200
Weight	kg-lbs	2,6 - 5,73
Speed control		•
Spindle thread		M8-F
Backing pad supplied		980.027N
Electrical Cord	m - ft	9 - 30'




LHR 15III/LUX



INCLUDED IN THE KIT

LHR 15 MARK III - Random orbital polisher (Ø125mm - Ø6" - 15mm orbit)
 cod. **9.DACOARSE** - D-A COARSE polishing compound 250ml
 cod. **9.DAFINE** - D-A FINE polishing compound 250ml
 cod. **9.PROTECT** - UNO PROTECT One-Step Polish & Sealant 250ml
 cod. **9.BW150H** - Wool polishing pad COARSE Ø130-145mm
 cod. **9.BW150M** - Wool polishing pad FINE Ø130-145mm
 cod. **9.DA150H** - D-A COARSE foam polishing pad Ø130-150mm - Ø5"-6"
 cod. **9.DA150M** - D-A FINE foam polishing pad Ø130-150mm - Ø5"-6"
 cod. **9.BF9010/4** - 4 x Microfiber cloths
 cod. **9.BF7001** - Claw pad
 cod. **9.Z1024** - Cable Clamp
 cod. **9.Z868** - BIGFOOT apron
 cod. **9.Z1043/BF** - BIGFOOT tools bag

LHR 15III/BAS



INCLUDED IN THE KIT

LHR 15 MARK III - Random orbital polisher (Ø125mm - Ø6" - 15mm orbit)
 cod. **9.DACOARSE** - D-A COARSE polishing compound 250ml
 cod. **9.DAFINE** - D-A FINE polishing compound 250ml
 cod. **9.BW150H** - Wool polishing pad COARSE Ø130-145mm
 cod. **9.DA150M** - D-A FINE foam polishing pad Ø130-150mm - Ø5"-6"
 cod. **9.BF9010/4** - 4 x Microfiber cloths
 cod. **9.Z1024** - Cable Clamp

LHR 21ES


LHR 21ES

Random orbital polisher

TECHNICAL DATA		
Ø backing pad	mm-in	150 - 6"
Ø orbit	mm-in	21 - 13/16"
Power	Watt	500
R.P.M.		2000 - 4200
Weight	kg-lbs	2,6 - 5,73
Speed control		•
Spindle thread		M8-F
Backing pad supplied		981.321N
Electrical Cord	m - ft	9 - 30'




LHR 21ES/LUX



INCLUDED IN THE KIT

LHR 21ES - Random orbital polisher (Ø150mm - Ø6" - 21mm orbit)
 cod. **9.DACOARSE** - D-A COARSE polishing compound 250ml
 cod. **9.DAFINE** - D-A FINE polishing compound 250ml
 cod. **9.PROTECT** - UNO PROTECT One-Step Polish & Sealant 250ml
 cod. **9.BW180H** - Wool polishing pad COARSE Ø150-170mm
 cod. **9.BW180M** - Wool polishing pad FINE Ø150-170mm
 cod. **9.DA180H** - D-A COARSE foam polishing pad Ø150-180mm - Ø6"-7"
 cod. **9.DA180M** - D-A FINE foam polishing pad Ø150-180mm - Ø6"-7"
 cod. **9.BF9010/4** - 4 x Microfiber cloths
 cod. **9.BF7001** - Claw pad
 cod. **9.Z1024** - Cable Clamp
 cod. **9.Z868** - BIGFOOT apron
 cod. **9.Z1043/BF** - BIGFOOT tools bag

LHR 21ES/BAS



INCLUDED IN THE KIT

LHR 21ES - Random orbital polisher (Ø150mm - Ø6" - 21mm orbit)
 cod. **9.DACOARSE** - D-A COARSE polishing compound 250ml
 cod. **9.DAFINE** - D-A FINE polishing compound 250ml
 cod. **9.BW180H** - Wool polishing pad COARSE Ø150-170mm
 cod. **9.DA180M** - D-A FINE foam polishing pad Ø150-180mm - Ø6"-7"
 cod. **9.BF9010/4** - 4 x Microfiber cloths
 cod. **9.Z1024** - Cable Clamp

LHR 15ES


LHR 15ES

Random orbital polisher

TECHNICAL DATA		
Ø backing pad	mm-in	125 - 5"
Ø orbit	mm-in	15 - 19/32"
Power	Watt	500
R.P.M.		2000 - 5000
Weight	kg-lbs	2,5 - 5,51
Speed control		•
Spindle thread		M8-F
Backing pad supplied		980.027N
Electrical Cord	m - ft	9 - 30'




LHR 15ES/LUX



INCLUDED IN THE KIT

LHR 15ES - Random orbital polisher (Ø125mm - Ø6" - 15mm orbit)
 cod. **9.DACOARSE** - D-A COARSE polishing compound 250ml
 cod. **9.DAFINE** - D-A FINE polishing compound 250ml
 cod. **9.PROTECT** - UNO PROTECT One-Step Polish & Sealant 250ml
 cod. **9.BW150H** - Wool polishing pad COARSE Ø130-145mm
 cod. **9.BW150M** - Wool polishing pad FINE Ø130-145mm
 cod. **9.DA150H** - D-A COARSE foam polishing pad Ø130-150mm - Ø5"-6"
 cod. **9.DA150M** - D-A FINE foam polishing pad Ø130-150mm - Ø5"-6"
 cod. **9.BF9010/4** - 4 x Microfiber cloths
 cod. **9.BF7001** - Claw pad
 cod. **9.Z1024** - Cable Clamp
 cod. **9.Z868** - BIGFOOT apron
 cod. **9.Z1043/BF** - BIGFOOT tools bag

LHR 15ES/BAS



INCLUDED IN THE KIT

LHR 15ES - Random orbital polisher (Ø125mm - Ø6" - 15mm orbit)
 cod. **9.DACOARSE** - D-A COARSE polishing compound 250ml
 cod. **9.DAFINE** - D-A FINE polishing compound 250ml
 cod. **9.BW150H** - Wool polishing pad COARSE Ø130-145mm
 cod. **9.DA150M** - D-A FINE foam polishing pad Ø130-150mm - Ø5"-6"
 cod. **9.BF9010/4** - 4 x Microfiber cloths
 cod. **9.Z1024** - Cable Clamp

LHR 12E DUETTO

LHR 12E DUETTO

Random orbital polisher

TECHNICAL DATA		
Ø backing pad	mm-in	125 - 5"
Ø orbit	mm-in	12 - 5"
Power	Watt	400
R.P.M.		4000 - 5500
Weight	kg-lbs	2,2 - 4,85
Speed control		•
Spindle thread		M8-F
Backing pad supplied		980.027N
Electrical Cord	m - ft	9 - 30'




LHR 12E/LUX



INCLUDED IN THE KIT

LHR 12E - Random orbital polisher (Ø125mm - Ø6" - 12mm orbit)
 cod. **9.DACOARSE** - D-A COARSE polishing compound 250ml
 cod. **9.DAFINE** - D-A FINE polishing compound 250ml
 cod. **9.BW150H** - Wool polishing pad COARSE Ø130-145mm
 cod. **9.BW150M** - Wool polishing pad FINE Ø130-145mm
 cod. **9.DA150H** - D-A COARSE foam polishing pad Ø130-150mm - Ø5"-6"
 cod. **9.DA150M** - D-A FINE foam polishing pad Ø130-150mm - Ø5"-6"
 cod. **9.45401/M** - abrasive starter kit
 cod. **9.BF9010/4** - 4 x Microfiber cloths
 cod. **9.Z1024** - Cable Clamp
 cod. **9.Z868** - BIGFOOT apron
 cod. **9.Z883/BF** - BIGFOOT tools bag

LHR 12E/BAS



INCLUDED IN THE KIT

LHR 12E - Random orbital polisher (Ø125mm - Ø6" - 12mm orbit)
 cod. **9.DACOARSE** - D-A COARSE polishing compound 250ml
 cod. **9.DAFINE** - D-A FINE polishing compound 250ml
 cod. **9.DA150M** - D-A FINE foam polishing pad Ø130-150mm - Ø5"-6"
 cod. **9.BW150H** - Wool polishing pad COARSE Ø150-170mm
 cod. **9.BF9010/4** - 4 x Microfiber cloths
 cod. **9.Z1024** - Cable Clamp

LHR 75E MINI


LHR 75E MINI

Random orbital polisher

TECHNICAL DATA		
Ø backing pad	mm-in	75 - 3"
Ø orbit	mm-in	12 - 1/2"
Power	Watt	400
R.P.M.		4000 - 5500
Weight	kg-lbs	1,9 - 4,18
Speed control		•
Spindle thread		M6-F
Backing pad supplied		990.007
Electrical Cord	m - ft	9 - 30'




LHR 75E/LUX



INCLUDED IN THE KIT

LHR 75E - Random orbital polisher (Ø75mm - Ø3" - 12mm orbit)
 cod. **9.DACOARSE** - D-A COARSE polishing compound 250ml
 cod. **9.DAFINE** - D-A FINE polishing compound 250ml
 cod. **9.BW100H** - Wool polishing pad COARSE Ø80-90mm
 cod. **9.BW100M** - Wool polishing pad FINE Ø80-90mm
 cod. **9.DA100H** - D-A COARSE foam polishing pad Ø80-90mm - Ø3"-3,5"
 cod. **9.DA100M** - D-A FINE foam polishing pad Ø80-90mm - Ø3"-3,5"
 cod. **9.BF9010/4** - 4 x Microfiber cloths
 cod. **9.Z1024** - Cable Clamp
 cod. **9.Z868** - BIGFOOT apron
 cod. **9.Z883/BF** - BIGFOOT tools bag

LHR 75E/BAS



INCLUDED IN THE KIT

LHR 75E - Random orbital polisher (Ø75mm - Ø3" - 12mm orbit)
 cod. **9.DACOARSE** - D-A COARSE polishing compound 250ml
 cod. **9.DAFINE** - D-A FINE polishing compound 250ml
 cod. **9.BW100H** - Wool polishing pad COARSE Ø80-90mm
 cod. **9.BW100M** - Wool polishing pad FINE Ø80-90mm
 cod. **9.DA100H** - D-A COARSE foam polishing pad Ø80-90mm - Ø3"-3,5"
 cod. **9.DA100M** - D-A FINE foam polishing pad Ø80-90mm - Ø3"-3,5"
 cod. **9.BF9010/4** - 4 x Microfiber cloths
 cod. **9.Z1024** - Cable Clamp

RENOVATION KITS

RUPES®

LHR 12E/BOX



INCLUDED IN THE KIT

- LHR 12E DUETTO** - Random orbital polisher (Ø125mm - Ø5" - 12mm orbit)
- cod. **9.CASEIII** - Systainer Case
- cod. **9.DACOARSE** - D-A COARSE polishing compound 250ml
- cod. **9.PROTECT** - UNO PROTECT One-Step Polish & Sealant 250ml
- cod. **9.BW150H** - 2x Wool Polishing Pad COARSE Ø130-145mm - Ø5" - 5,75"
- cod. **9.BW150M** - 2x Wool Polishing Pad FINE Ø130-145mm - Ø5" - 5,75"
- cod. **9.BF7001** - BIGFOOT Claw pad tool
- cod. **9.45401** - 3x Abrasives X-Cut P 2000 Ø125mm
- cod. **9.45403** - 3x Abrasives X-Cut P 3000 Ø125mm
- cod. **9.BF9010/4** - Microfiber cloths

LHR 75E/BOX



INCLUDED IN THE KIT

- LHR 75E MINI** - Random orbital polisher (Ø75mm - Ø3" - 12mm orbit)
- cod. **9.CASEIII** - Systainer Case
- cod. **9.DACOARSE** - D-A COARSE polishing compound 250ml
- cod. **9.PROTECT** - UNO PROTECT One-Step Polish & Sealant 250ml
- cod. **9.BW100H** - 2x Wool Polishing Pad COARSE Ø80-90mm - Ø3" - 3,5"
- cod. **9.BW100M** - 2x Wool Polishing Pad FINE Ø80-90mm - Ø3" - 3,5"
- cod. **9.BF7001** - BIGFOOT Claw pad tool
- cod. **9.45451** - 3x Abrasives X-Cut P 2000 Ø75mm
- cod. **9.45453** - 3x Abrasives X-Cut P 3000 Ø75mm
- cod. **9.BF9010/4** - Microfiber cloths



D-A SERIES FOAM PADS

A NEW CONCEPT

PADS PACKAGED INDIVIDUALLY IN A RESISTANT METALLIC FILM FLOW PACK

The metallic film flow pack ensures excellent mechanical properties against accidental piercing and ripping.

The new flow pack guarantees a high level of protection for the foam pads to preserve the original characteristics:

UV PROTECTION

DUST PROTECTION

HUMIDITY PROTECTION

D-A COARSE

HIGH PERFORMANCE
COARSE CUTTING FOAM PAD



The **D-A COARSE** foam pad is the most aggressive in the BigFoot range. It is specially designed to be used with both random orbital and gear-driven tools. The unique open-cell foam material removes mild to severe defects from most paint systems when paired with RUPES D-A COARSE compound.



D-A FINE

HIGH PERFORMANCE FINE
FINISHING FOAM PAD



The **D-A FINE** foam pad is the most versatile foam pad in the RUPES BigFoot range, delivering an effective rate of defect removal and capability for high-gloss finishing on most paint systems. Pair with RUPES D-A FINE polishing compound for moderate to fine defect removal, paint refinement, or final finishing after heavy compounding steps.



D-A ULTRA-FINE

HIGH PERFORMANCE
ULTRA FINE FOAM PAD




The **D-A ULTRAFINE** foam pad is designed for ultra-high gloss finishing and polishing haze-prone on very soft paint surfaces. It can also be used for the application of sealants or waxes. Pair it with UNO PURE polish to remove extremely fine de-fects or to bring out a show car level finish.



D-A SERIES FOAM PADS

HIGH PERFORMANCE FOAM POLISHING PADS

For Random Orbital and Gear Driven Polishers



RANDOM ORBITAL

GEAR DRIVEN

80-3"
Ø mm-Ø in
100-4"

Code	Description	Unit
● 9.DA100H	COARSE	1 pack with 1 pad
● 9.DA100M	FINE	1 pack with 1 pad
○ 9.DA100S	ULTRA FINE	1 pack with 1 pad
● 9.DA100H/48	COARSE	1 case with 48 pads*
● 9.DA100M/48	FINE	1 case with 48 pads*
○ 9.DA100S/48	ULTRA FINE	1 case with 48 pads*



130-5"
Ø mm-Ø in
150-6"

Code	Description	Unit
● 9.DA150H	COARSE	1 pack with 1 pad
● 9.DA150M	FINE	1 pack with 1 pad
○ 9.DA150S	ULTRA FINE	1 pack with 1 pad
● 9.DA150H/48	COARSE	1 case with 48 pads*
● 9.DA150M/48	FINE	1 case with 48 pads*
○ 9.DA150S/48	ULTRA FINE	1 case with 48 pads*



150-6"
Ø mm-Ø in
180-7"

Code	Description	Unit
● 9.DA180H	COARSE	1 pack with 1 pad
● 9.DA180M	FINE	1 pack with 1 pad
○ 9.DA180S	ULTRA FINE	1 pack with 1 pad
● 9.DA180H/48	COARSE	1 case with 48 pads*
● 9.DA180M/48	FINE	1 case with 48 pads*
○ 9.DA180S/48	ULTRA FINE	1 case with 48 pads*



ALL PADS ARE INDIVIDUALLY PACKAGED IN A RESISTANT FLOW PACK



IMPORTANT NOTICE

*48 FOAM PADS INDIVIDUALLY PACKAGED IN 1 CARTON BOX

D-A SERIES

HIGH PERFORMANCE
POLISHING COMPOUNDS



UNO SERIES



Professional product.
Recommended for
Dual Action polishers



RANDOM ORBITAL

GEAR DRIVEN

FORMULATED AND PRODUCED
BY RUPES IN ITALY



Professional product.
Recommended for
Dual Action polishers



RANDOM ORBITAL

GEAR DRIVEN

FORMULATED AND PRODUCED
BY RUPES IN ITALY



D-A COARSE is a high-performance compound from RUPES designed for maximum efficiency in multiple industries. This fast cutting, bodyshop safe, compound is ideal for technicians who want quick defect removal, a smooth user experience, low dusting, easy wipe off, and high gloss finishing from a single product. D-A COARSE is optimized for incredible all-around performance on BigFoot dual-action random orbital and gear-driven orbital tools. When paired with RUPES coarse foam, wool, or microfiber pads D-A COARSE is capable of removing 1500 grit sand scratches on most automotive paint surfaces, gelcoat, and similar materials.

FEATURES AND BENEFITS

- High-performance cutting compound
- Durable lubrication system for an extended polishing cycle and longer working time
- Low dusting formula reduces post-compound cleanup work
- One-step moderate-to-severe defect removal and finishing on most paints
- Sanding mark and severe defect removal
- Recommended for random orbital or gear-driven polishers

Code	Description	Size	Unit
• 9.DACOARSE250/12	COARSE	250ml	1 carton with 12 bottles
• 9.DACOARSE/6	COARSE	1000ml	1 carton with 6 bottles
• 9.DACOARSE5L/2	COARSE	5L	1 carton with 2 tanks

D-A FINE is the result of extensive testing to develop a fine polish that combines noticeable cutting performance with impressive finishing capability. The proprietary formula developed and blended in-house by RUPES is designed to perform with both large stroke random orbital polishers and gear-driven orbital polishers. Combined with RUPES specially designed yellow foam, wool, or microfiber pads DA-FINE delivers a much higher level of defect removal when compared to traditional fine polishing compounds, yet still provides the incredibly high finish quality and easy wipe off expected from a product formulated for final finishing after a coarse cutting compound. RUPES D-A FINE is body shop safe and performs well on clear coat, single stage paint, gelcoat, varnish, and more.

FEATURES AND BENEFITS

- Excellent cutting performance relative to most "fine" polishing compounds
- New micro-abrasive technology and proprietary blend enhance finishing ability
- Easy wipe-off, for fewer towel marks on soft paints or delicate surfaces
- Easy application when used with RUPES color-coordinated pad system
- One-step light defect removal and finishing on most paints
- Can also be excellent 2nd step polish following D-A Coarse Compound
- Recommended for use with BigFoot Random Orbital or Gear-Driven tools

Code	Description	Size	Unit
• 9.DAFINE250/12	FINE	250ml	1 carton with 12 bottles
• 9.DAFINE/6	FINE	1000ml	1 carton with 6 bottles
• 9.DAFINE5L/2	FINE	5L	1 carton with 2 tanks

Professional product.
Recommended for Dual Action
polishers and Rotary polishers



ROTARY GEAR DRIVEN RANDOM ORBITAL

FORMULATED AND PRODUCED
BY RUPES IN ITALY



Professional product.
Recommended for Dual Action
polishers and Rotary polishers



ROTARY GEAR DRIVEN RANDOM ORBITAL

FORMULATED AND PRODUCED
BY RUPES IN ITALY



UNIVERSAL ULTRA-FINE FINISHING POLISH

UNO PURE is a universally compatible, ultra-fine abrasive polish designed for use on all tool types, including Rotary, Random Orbital, or Gear-Driven Orbital. The proprietary formula, developed and blended in-house by RUPES, uses the latest in abrasive technology to produce the highest possible optical clarity and reflectivity when used with RUPES BigFoot polishing system tools and pads. UNO PURE is ideal for very soft or haze-prone paints or can be used in jewelry applications to create a show car finish, even on dark colors. The absence of fillers, ease of use, easy wipe-off ensure the best user experience, and body shop safe formulation makes it the ideal solution for a variety of applications.

FEATURES AND BENEFITS

- Universal across all BigFoot Polishing System Movements
- Smooth user experience with easy wipe off
- Unmatched finishing quality, even on the softest paint systems
- Validated for all paint types, including single stage, clearcoat, hard, soft, or "sticky" paints
- Versatile applications, simply change the pad to change the performance
- No intentional filling ingredients added
- No protection properties, leaves the finish "PURE" and ready for application of a protective product
- For best results, use with RUPES Ultra-Fine White Finishing Foam Pads

Code	Description	Size	Unit
9.PURE250/12	Ultra finishing polish	250ml	1 carton with 12 bottles
9.PURE/6	Ultra finishing polish	1000ml	1 carton with 6 bottles
9.PURE5L/2	Ultra finishing polish	5L	1 carton with 2 tanks

RUPES UNO PROTECT

UNO PROTECT is an all-in-one compound, polish, and protectant that can remove moderate defects and leave a high-gloss, protected finish, in just one-step. The specialized blend of advanced abrasives combined with high tech synthetic sealants and carnauba wax can be applied by machine or by hand and allows Uno Protect to quickly remove surface imperfections leaving behind a durable layer of polymer protection that lasts up to 90 days. Uno Protect produces rapid results with minimal effort making it the ideal solution for express detail services, high-volume detail shops, car dealerships, and used car reconditioning facilities.

FEATURES AND BENEFITS

- Removes moderate-to-light defects in one step
- Polishes the surface to a high gloss shine
- Provides a protective layer that last up to 90 days
- Wipes off easily
- Can be applied by machine or by hand. (Apply by machine for best results)
- Compatible with Random Orbital, Gear Driven, or Rotary tools
- Easily adjust the cut or finish quality by changing pads

APPLICATION CHART*

MOVEMENT/TOOLS	POLISHING PAD TYPE	DEFECT LEVEL		
		Very light-none	Light	Moderate
	White Foam (9.DA-9.BG-9.BR series)			
	Yellow Foam (9.DA-9.BG-9.BR series)			
	Yellow Wool (9.BW series)			
	Blue Wool (9.BW series)			

*In combination with BigFoot Polishing Pads

Code	Description	Size	Unit
9.PROTECT250/12	Polish & Sealant	250ml	1 carton with 12 bottles
9.PROTECT/6	Polish & Sealant	1000ml	1 carton with 6 bottles
9.PROTECT5L/2	Polish & Sealant	5L	1 carton with 2 tanks

RUPES S.p.A

RUPES S.p.a.

Via Marconi 3A, loc. Vermezzo
20071 Vermezzo con Zelo (MI) – Italy

T +39 - 02.94.69.41

F +39 - 02.94.94.10.40

E info_rupes@rupes.it

W www.rupes.com

RUPES USA, Inc.

531 South Taylor Ave
Louisville, CO 80027

T +1- 877-224-5750

E info@rupesusa.com

W www.rupesusa.com

Follow us on:

