

Safety Data Sheet dated 18/7/2017, version 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking
1.1. Product identifier
Mixture identification:
Trade name: Mille Coarse
Trade code: 9.BGCOARSE
1.2. Relevant identified uses of the substance or mixture and uses advised against
Recommended use:
Abrasive and polishing compound
Uses advised against:
All not indicated in the suggested uses.
1.3. Details of the supplier of the safety data sheet
Company:
RUPES SPA - Via Marconi 3A, 20080, Vermezzo (MI) – Italy
RUPES SPA - Telefono n°+3902946941
Competent person responsible for the safety data sheet:
info_rupes@rupes.it
1.4. Emergency telephone number
For United States, Canada Puerto Rico and Virgin Island: 1-800-255-3924
For China: 400-120-0751
For Brazil: 0-800-591-6042
For India: 000-800-100-4086
For Mexico: 01-800-099-0731
For Europe and all the other countries: 001-813-248-0585
SECTION 2: Hazards identification
2.1. Classification of the substance or mixture
EC regulation criteria 1272/2008 (CLP)
The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).
Adverse physicochemical, human health and environmental effects:
No other hazards
2.2. Label elements
The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).
Hazard pictograms:
None
Hazard statements:
None
Precautionary statements:

Precautionary statements:

None Special Provisions:

EUH208 Contains (5-chloro-2-methyl-2H-isothiazol-3-one). May produce an allergic reaction. EUH210 Safety data sheet available on request.



Special provisions according to Annex XVII of REACH and subsequent amendments: None

2.3. Other hazards vPvB Substances: None PBT Substances: None Other Hazards: No other hazards

SECTION 3: Composition/information on ingredients

- 3.1. Substances
 - N.A.
- 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Numb	er	Classification
>= 15% - < 25%	Aluminum oxide	CAS: EC: REACH No.:	1344-28-1 215-691-6 01-21195292 48-35	The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).
>= 10% - < 15%	White mineral oil (petrolem)	CAS: EC:	8042-47-5 232-455-8	😵 3.10/1 Asp. Tox. 1 H304
>= 5% - < 8%	hydrocarbons, C10-C12, isoalkanes, <2% aromatic	EC:	923-037-2	 2.6/3 Flam. Liq. 3 H226 3.10/1 Asp. Tox. 1 H304 4.1/C4 Aquatic Chronic 4 H413 EUH066
>= 1% - < 5%	Alkanes, C12-14-iso	CAS: EC:	68551-19-9 271-369-5	3.10/1 Asp. Tox. 1 H304 EUH066
<0,0015	5-chloro-2-methyl-2H-i sothiazol-3-one	CAS: EC:	26172-55-4 247-500-7	 3.1/3/Oral Acute Tox. 3 H301 3.1/3/Dermal Acute Tox. 3 H311 3.2/1B Skin Corr. 1B H314 3.4.2/1 Skin Sens. 1 H317 3.1/3/Inhal Acute Tox. 3 H331 4.1/A1 Aquatic Acute 1 H400 4.1/C1 Aquatic Chronic 1 H410



SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

- In case of eyes contact:
- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. In case of Ingestion:
 - Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed Treatment: None

SECTION 5: Firefighting measures

- 5.1. Extinguishing media
 - Suitable extinguishing media:
 - Water.
 - Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

None in particular.

- 5.2. Special hazards arising from the substance or mixture Do not inhale explosion and combustion gases. Burning produces heavy smoke.
- 5.3. Advice for firefighters
 - Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures
 - Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.



- Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up
 - Wash with plenty of water.
- 6.4. Reference to other sections See also section 8 and 13

SECTION 7: Handling and storage

- 7.1. Precautions for safe handling Avoid contact with skin and eyes, inhaltion of vapours and mists. Do not eat or drink while working.
 - See also section 8 for recommended protective equipment.
- 7.2. Conditions for safe storage, including any incompatibilities

 Keep container closed when not in use. Keep only in the original container in a cool, well ventilated place away from: direct sunlight, heat and ignition sources
 Keep away from food, drink and feed.
 Incompatible materials:
 None in particular.
 Instructions as regards storage premises:
 Adequately ventilated premises.
- 7.3. Specific end use(s) Abrasive and polishing compound

SECTION 8: Exposure controls/personal protection

8.1. Control parameters
Aluminum oxide - CAS: 1344-28-1
- OEL Type: TLV-ACGIH - TWA: 1 mg/m3
White mineral oil (petrolem) - CAS: 8042-47-5
- OEL Type: TLV-ACGIH - TWA: 5 mg/m3
DNEL Exposure Limit Values
Aluminum oxide - CAS: 1344-28-1
Worker Professional: 15.6 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term (repeated)
Worker Professional: 6.2 mg/m3 - Exposure: Human Oral - Frequency: Long Term (repeated)
PNEC Exposure Limit Values
N.A.
8.2. Exposure controls
Eye protection:
Not needed for normal use. Anyway, operate according good working practices.
Protection for skin:
No special precaution must be adopted for normal use.
Protection for hands:
Gloves with long cuffs.
Respiratory protection:
Not needed for normal use
9.BGCOARSE/1

Page n. 4 of 10



Thermal Hazards: None Environmental exposure controls: None Appropriate engineering controls: None

SECTION 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes
Appearance and colour:	Blue paste		
Odour:	characteristic		
Odour threshold:	N.A.		
pH:	N.A.		
Melting point / freezing	N.A.		
point:			
Initial boiling point and	N.A.		
boiling range:			
Flash point:	> 60 ° C		
Evaporation rate:	N.A.		
Solid/gas flammability:	N.A.		
Upper/lower flammability	N.A.		
or explosive limits:			
Vapour pressure:	N.A.		
Vapour density:	N.A.		
Relative density:	N.A.		
Solubility in water:	partially		
	miscible		
Solubility in oil:	N.A.		
Partition coefficient	N.A.		
(n-octanol/water):			
Auto-ignition temperature:	N.A.		
Decomposition	N.A.		
temperature:			
Viscosity:	>20.5 mm2/s		
	(40°C)		
Explosive properties:	N.A.		
Oxidizing properties:	N.A.		

9.2. Other information

Properties Value Method: Notes	
--------------------------------	--



Miscibility:	N.A.	 	
Fat Solubility:	N.A.	 	
Conductivity:	N.A.	 	
Substance Groups relevant properties	N.A.	 	

SECTION 10: Stability and reactivity

- 10.1. Reactivity
 - No dangerous reactions known
- 10.2. Chemical stability
 - stable under normal conditions
- 10.3. Possibility of hazardous reactions No dangerous reactions known
- 10.4. Conditions to avoid Direct sunlight. Extremely high or low temperatures
- 10.5. Incompatible materials strong oxidizing agents
- 10.6. Hazardous decomposition products None.

SECTION 11: Toxicological information

```
11.1. Information on toxicological effects
Toxicological information of the product:
      N.A.
Toxicological information of the main substances found in the product:
      Aluminum oxide - CAS: 1344-28-1
      a) acute toxicity:
            Test: LD50 - Route: Oral - Species: Rat > 10000 mg/kg
            Test: LC50 - Route: Inhalation Dust - Species: Rat > 2.3 mg/l - Duration: 4h
      White mineral oil (petrolem) - CAS: 8042-47-5
      a) acute toxicity:
            Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg
            Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg
            Test: LC50 - Route: Inhalation Mist - Species: Rat > 5 mg/l - Duration: 4h
      hydrocarbons, C10-C12, isoalkanes, <2% aromatic
      a) acute toxicity:
            Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg
            Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kg
            Test: LC50 - Route: Inhalation Vapour - Species: Rat > 5000 mg/m3 - Duration: 8h
      Alkanes, C12-14-iso - CAS: 68551-19-9
      a) acute toxicity:
            Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg
            Test: LC50 - Route: Inhalation Vapour - Species: Rat > 5.3 mg/l - Duration: 4h
```



If not differently specified, the information required in Regulation (EU)2015/830 listed below must be considered as N.A.:

a) acute toxicity;

- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;

e) germ cell mutagenicity;

f) carcinogenicity;

g) reproductive toxicity;

h) STOT-single exposure;

i) STOT-repeated exposure;

j) aspiration hazard.

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

```
Aluminum oxide - CAS: 1344-28-1
      a) Aquatic acute toxicity:
            Endpoint: NOEC - Species: Fish > 100 mg/l - Duration h: 96
            Endpoint: NOEC - Species: Daphnia > 100 mg/l - Duration h: 48
            Endpoint: NOEC - Species: Algae > 100 mg/l - Duration h: 72
            Endpoint: LC50 - Species: Fish > 10000 mg/l - Duration h: 96
      White mineral oil (petrolem) - CAS: 8042-47-5
      a) Aquatic acute toxicity:
            Endpoint: LC50 - Species: Fish > 10000 mg/l - Duration h: 96
            Endpoint: EC50 - Species: Daphnia > 100 mg/l - Duration h: 48
      hydrocarbons, C10-C12, isoalkanes, <2% aromatic
      a) Aquatic acute toxicity:
            Endpoint: LLO 96H - Species: Fish = 1000 mg/l - Duration h: 96
            Endpoint: ELO 48H - Species: Daphnia = 1000 mg/l - Duration h: 48
            Endpoint: NOELR - Species: Daphnia < 1 mg/l - Duration h: 504
            Endpoint: ELO 48H - Species: Algae = 1000 mg/l - Duration h: 72
      Alkanes, C12-14-iso - CAS: 68551-19-9
      a) Aquatic acute toxicity:
            Endpoint: R07 - Species: Fish > 1000 mg/l - Duration h: 96
            Endpoint: EL50 - Species: Daphnia > 1000 mg/l - Duration h: 48
            Endpoint: NOELR - Species: Daphnia < 1 mg/l - Duration h: 504
            Endpoint: EL50 - Species: Algae > 1000 mg/l - Duration h: 72
12.2. Persistence and degradability
      Mille Coarse
            Biodegradability: Biodegradable - Test: N.A. - Duration h: N.A. - %: N.A. - Notes: N.A.
12.3. Bioaccumulative potential
      Mille Coarse
            Potentially bioaccumulable - Test: N.A. N.A. - Duration h: N.A. - Notes: N.A.
```



- 12.4. Mobility in soil
 - N.A.
- 12.5. Results of PBT and vPvB assessment vPvB Substances: None PBT Substances: None
- 12.6. Other adverse effects
 - None

SECTION 13: Disposal considerations

- 13.1. Waste treatment methods
 - Recover if possible. In so doing, comply with the local and national regulations currently in force.
- Additional disposal information:
 - Dispose in a safe manner in accordance with local/national regulations

SECTION 14: Transport information

14.1. UN number

Not classified as dangerous in the meaning of transport regulations.

- 14.2. UN proper shipping name N.A.
- 14.3. Transport hazard class(es) N.A.
- 14.4. Packing group
 - N.A.
- 14.5. Environmental hazards N.A.
- 14.6. Special precautions for user N.A.
 - N.A.
- 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code N.A.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work)
Dir. 2000/39/EC (Occupational exposure limit values)
Regulation (EC) n. 1907/2006 (REACH)
Regulation (EC) n. 1272/2008 (CLP)
Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013
Regulation (EU) 2015/830
Regulation (EU) n. 286/2011 (ATP 2 CLP)
Regulation (EU) n. 618/2012 (ATP 3 CLP)
Regulation (EU) n. 944/2013 (ATP 4 CLP)
Regulation (EU) n. 605/2014 (ATP 6 CLP)

9.BGCOARSE/1 Page n. 8 of 10



Regulation (EU) n. 2015/1221 (ATP 7 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: Restrictions related to the product: **Restriction 40** Restrictions related to the substances contained: No restriction. Where applicable, refer to the following regulatory provisions : Directive 2012/18/EU (Seveso III) Regulation (EC) nr 648/2004 (detergents). Dir. 2004/42/EC (VOC directive) Provisions related to directive EU 2012/18 (Seveso III): N.A. 15.2. Chemical safety assessment A Chemical Safety Assessment has been carried out for the mixture. Full text of phrases referred to in Section 3:

SECTION 16: Other information

- H304 May be fatal if swallowed and enters airways.
- H226 Flammable liquid and vapour.
- H413 May cause long lasting harmful effects to aquatic life.
- EUH066 Repeated exposure may cause skin dryness or cracking.
- H301 Toxic if swallowed.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- H331 Toxic if inhaled.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

Hazard class and hazard category	Code	Description
Flam. Liq. 3	2.6/3	Flammable liquid, Category 3
Acute Tox. 3	3.1/3/Dermal	Acute toxicity (dermal), Category 3
Acute Tox. 3	3.1/3/Inhal	Acute toxicity (inhalation), Category 3
Acute Tox. 3	3.1/3/Oral	Acute toxicity (oral), Category 3
Asp. Tox. 1	3.10/1	Aspiration hazard, Category 1
Skin Corr. 1B	3.2/1B	Skin corrosion, Category 1B
Skin Sens. 1	3.4.2/1	Skin Sensitisation, Category 1
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1
Aquatic Chronic 4	4.1/C4	Chronic (long term) aquatic hazard, category 4



This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.